

Prescribing Clinical Network

Policy Statement	Perindopril Arginine
Policy Number	PCN 304-2018
Date of Issue	January - 2018
Review Date:	January - 2021 (Unless new published evidence becomes available before this date OR there is new published national guidance e.g. NICE)
Recommendations:	
The Prescribing Clinical Network does not recommend the use of perindopril arginine	
 NOT initiate perindopril arginine in any new patients AND Switch any patients taking perindopril <u>arginine</u> to perindopril erbumine in line with NHS England guidance. 	
 Key Considerations: NHS England guidance 'Items which should not routinely be prescribe in primary care: Guidance for CCGs' - <u>https://www.england.nhs.uk/wp-content/uploads/2017/11/items-which-should-not-be-routinely-precscribed-in-pc-ccg-guidance.pdf</u> Perindopril arginine is significantly more expensive than perindopril erbumine PrescQIPP review of the topic found there was no clinical advantage of the arginine salt <u>https://www.prescqipp.info/-perindopril-arginine/send/89-perindopril-arginine/1009-bulletin-59-perindopril-arginine</u> NICE CG127: Hypertension in adults: diagnosis and management recommends that prescribing costs are minimised. 	
Date taken to Prescribing Clinical Network	10 th January 2018
-	

Surrey (East Surrey CCG, Guildford & Waverley CCG, North West Surrey CCG, Surrey Downs CCG & Surrey Heath CCG), Crawley CCG and Horsham & Mid-Sussex CCG